

IN THE CLAIMS:

Please cancel claims 16-36, 55 and 56 without prejudice as follows:

1. (Previously Presented) A table comprising:

a support structure comprising a first wire support and a second wire support, each of said first and second wire supports comprising opposite ends joined to define a first and second foot and wherein a portion of said first and second wire supports form a first and second support platform respectively, wherein said first wire support comprises a first segment extending upwardly from said first foot to said first support platform and a second segment extending from said first support platform to said second foot, and wherein said second wire support comprises a first segment extending upwardly from said second foot to said second support platform and a second segment extending from said second support platform to said first foot;

a third wire support comprising opposite ends joined to said first and second feet, wherein a portion of said third wire support forms a third support platform, said third wire support comprising a first segment extending from said first foot to said third support platform and a second segment extending from said second foot to said third support platform; and

a work surface supported on said first, second and third support platforms.

Claim 2 (Cancelled).

3. (Previously Presented) The table of claim 1 further comprising a first and second cap member disposed on an upper surface of said work surface, wherein said first cap member is connected to said first support platform and wherein said second cap member is connected to said second support platform such that said work surface is clamped between said first and second cap members and said first and second support platforms respectively.

4. (Previously Presented) The table of claim 3 wherein at least a portion of said cap member is raised above said upper surface of said work surface, wherein said work surface comprises a first work surface, and further comprising a second work surface having a pair of openings shaped to receive said raised portion of said cap member, wherein said second

work surface is disposed on said first work surface and is indexed on said first and second cap members.

5. (Previously Presented) The table of claim 1 further comprising an accessory having a mounting portion disposed between at least one of said first and second support platforms and said work surface.

6. (Previously Presented) The table of claim 5 wherein said accessory comprises a rail.

7. (Previously Presented) The table of claim 5 wherein said accessory comprises a screen.

8. (Previously Presented) The table of claim 7 wherein said screen comprises a curved pole extending out of a plane defined by said work surface from a side of said work surface to a rear of said worksurface.

9. (Previously Presented) The table of claim 8 wherein said screen is made of a bi-directional stretchable material.

10. (Previously Presented) The table of claim 1 wherein said first support platform comprises a plate member attached to said first wire support.

11. (Previously Presented) The table of claim 1 wherein said opposite ends of said first and second wires are welded to form said first and second feet.

12. (Previously Presented) The table of claim 1 further comprising a glide connected to each of said first and second feet.

13. (Previously Presented) The table of claim 12 further comprising a collar disposed over each of said first and second feet, wherein said glides are connected to said collars.

14. (Previously Presented) The table of claim 1 wherein said first and second wire members are each made of a single piece of wire.

S/N 09/941,157

15. (Previously Presented) The table of claim 2 further comprising a first collar attached to said first and second wire supports, and a second collar attached to said third wire support, and a fastener connecting said first and second collars.

Claims 16-56 (Cancelled).